

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/695,484	10/29/2003	Dennis D. McCrady	0918.0244C	5217
27896 FDFII SHAF	7590 05/18/2007 PIRO & FINNAN I I C		EXAM	INER
EDELL, SHAPIRO & FINNAN, LLC 1901 RESEARCH BOULEVARD			CORRIELUS, JEAN B	
	SUITE 400 ROCKVILLE, MD 20850		ART UNIT	PAPER NUMBER
,			2611	
			MAIL DATE	DELIVERY MODE
			05/18/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		•
	Application No.	Applicant(s)
	10/695,484	MCCRADY, DENNIS D.
Office Action Summary	Examiner	Art Unit
	Jean B. Corrielus	2611
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet w	ith the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a will apply and will expire SIX (6) MON a, cause the application to become Al	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
Status		,
1) Responsive to communication(s) filed on <u>02 M</u>	fay 2007	
	s action is non-final.	
3) Since this application is in condition for allowar		ters prosecution as to the morite in
closed in accordance with the practice under E	•	
closed in accordance with the practice under z	_^ parte Quayle, 1900 C.L	7. 11, 1 00 O.G. 210.
Disposition of Claims		
4) Claim(s) 1-32 is/are pending in the application		
4a) Of the above claim(s) is/are withdraw		
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-32</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction and/o	r election requirement	
Application Papers		•
9)☐ The specification is objected to by the Examine	er.	
10)☐ The drawing(s) filed on is/are: a)☐ acc	epted or b) objected to	by the Examiner.
Applicant may not request that any objection to the	drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correct	tion is required if the drawing	(s) is objected to. See 37 CFR 1.121(d).
11) The oath or declaration is objected to by the Ex	caminer. Note the attache	d Office Action or form PTO-152.
Driovity under 25 H S C S 440		
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreigna) All b) Some * c) None of:	priority under 35 U.S.C.	§ 119(a)-(d) or (f).
1. ☐ Certified copies of the priority document	s have been received	
<u> </u>		Application No.
<u> </u>		· · · · · · · · · · · · · · · · · · ·
3. Copies of the certified copies of the prio	•	received in this National Stage
application from the International Burea	` ` ' ' '	- ·
* See the attached detailed Office action for a list	oi the certified copies not	receivea.
Attachment(s)		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) s)/Mail Date
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		nformal Patent Application (PTO-152)
Paper No(s)/Mail Date	6) Other:	

Art Unit: 2611

DETAILED ACTION

Response to Amendment

- 1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.
- 2. The Declaration filed on 5/2/07 under 37 CFR 1.131 is sufficient to overcome the Burchfiel reference. However, the declaration stated that the invention was in public use more than a year prior filing of the Non-provisional application. Therefore, a rejection base on such admission and anew ground of rejection based on newly found reference to Franceschini et at US Patent Publication No. 20020136276 follow.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1-33 are rejected under 35 U.S.C. 102(b) based upon a public use or sale of the invention. In the declaration filed on 5/2/07, applicant's admitted that was in **public use** prior to 10/24/02, which is more than a year prior to the filing of the Non-provisional application (10/29/03).

Art Unit: 2611

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-11, 16-26 and 29-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Franceschini et at US Patent Publication No. 20020136276 in view of Awater US Patent No. 6,175,551.

As per claim 1, Franceschini discloses a system and method for generating a signal for transmission in non-contiguous frequency bands that are separated by at least one segment of frequency spectrum excluded from use in transmitting the signal, see fig. 1A and paragraph 0029 comprising: inherently a processor for generating that generates a digital time-domain signal see input to device 10; a modulator 10 " non-contiguous spectrum selector" that converts the digital time-domain signal to a frequency-domain signal see paragraphs 0027 and 0036 that includes the non-contiguous frequency bands see fig. 1a and the at least one segment of frequency spectrum, excises a portion of the frequency-domain signal corresponding to the at least one segment of frequency spectrum see fig. 1A, paragraphs 0025, 0023 and 0036, and converts the excised frequency-domain signal to an excised time-domain signal that includes signal components in the non-contiguous frequency bands see paragraphs 0027 and 0040. However, Franceschini et al fails to teach a digital-to-analog converter that converts the excised time-domain signal to an analog signal for transmission channel. However, as

Art Unit: 2611.

evidence by Awater, it is well known to use a digital-to-analog converter converts time domain signal to an analog signal prior to transmission, see for instance fig. 4 element 36. Given that fact, it would have been obvious to one skill in the art to incorporate such a teaching in Franceschini so as to allow the transmitter to convert the digital signal into an analog equivalent so as to allow transmission over analog channels where digital channels such as T1 are not available.

As per claim 2, Franceschini et al further teaches the device 10 "non-contiguous spectrum selector) comprises: a FFT module (discrete Fourier transform module) that converts the digital time-domain signal to the frequency-domain signal, wherein the frequency-domain signal comprises a plurality of frequency-domain samples corresponding to respective frequency bins; an inherent excision module that selectively removes frequency bins to cause spectral nulling at the at least one segment of frequency spectrum excluded from signal transmission; and an IFFT (inverse discrete Fourier transform module) that converts the excised frequency-domain signal to the excised time-domain signal see paragraphs 0025, 0027, 0029, 0036 and fig. 1A.

As per claim 3, see claim 2.

As per claim 4, Franceschini et al teach shaping of the frequency response of each bins see paragraph 0036, line 8.

As per claim 5, the signal is inherently a baseband signal. See fig. 1.

As per claim 6, Franceschini teaches an exciter 20 considered as the claimed "digital mixer" for upconverting the digital signal into an IF signal see 0021. Note that it

Art Unit: 2611

is well know to provide a D/A converter with an digital signal for conversion to analog.

And the reason would have been the same as provided above with respect to claim 1.

As per claim 7, note that is well known in the art to filter a signal prior to transmission to remove spurious or noise component from the signal.

As per claim 8, the signal is a spread spectrum signal see paragraph 0023.

As per claim 9 because the signal is a spread spectrum signal, is has to include a sequence of sample chips.

As per claim 10, the signal includes data for transmission to a communication device.

As per claim 11, it is well known in the art to transmit a range waveform from a transmitter to a receiver to determine the range between the receiver and transmitter. Given that, it would have been obvious to one skill in the art to incorporate such a teaching in Franceschini et al and Awater in order determine other signal parameter such as transmission power so as to enhance signal transmission between the transmitter and receiver.

As per claim 16, the system includes a transmitter 110 and a receiver 100 (modem).

As per claim 17, the system includes a communication device that includes the processor, the modulator (non-contiguous band selector" and the D/A see fig. 1.

As per claim 18 the device is a mobile device. See paragraph 0004.

As per claim 19, the system includes a plurality of devices in a network. See paragraph 0003.

Art Unit: 2611

As per claim 20, see claim 1.

As per claim 21, see claim 2.

As per claim 22, see claim 5.

As per claim 23, see claim 6.

As per claim 24, see claims 8 and 9.

As per claim 25, see claim 10...

As per claim 26, see claim 11.

As per claim 29, as shown in fig. 1A, Franceschini teaches that the excise portion of the frequency spectrum is independent of a signal level of the frequency domain or time domain signal.

As per claim 30 Franceschini teaches that a bandwidth of the frequency domain signal generated by the selector (fig. 1A and paragraph 0032) inherently corresponds to an overall band that extends from a lowest frequency of a lowest frequency band to a highest frequency to the highest frequency band of the bands.

As per claim 31, see claim 29.

As per claim 32 see claim 30.

7. Claims 12-15, 27 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Franceschini et at US Patent Publication No. 20020136276 in view of Awater US Patent No. 6,175,551.and further in view of Wade US patent No. 5,263,048.

As per claim 12, at paragraph 0022 Franceschini teaches that frequency excision is performed as well in the receiver see paragraph 0022 therefore it has to include a receiver spectrum selector that converts the received digital time-domain signal to a

Art Unit: 2611

received frequency-domain signal, excises a portion of the received frequency-domain signal corresponding to the at least one segment of frequency spectrum, and converts the excised received frequency-domain signal to an excised, received time-domain signal. However, Franceschini and Awater fail to teach substantially an analog-to-digital converter that converts a received signal to a received digital time-domain signal. Wade teaches a receiver fig. 3 comprising an analog-to-digital converter 12 that converts a received signal to a received digital time-domain signal; and circuit 10 (receiver spectrum selector) that converts the received digital time-domain signal to a received frequency-domain signal see output of the processor 20, excises a portion of the received frequency-domain signal corresponding to the at least one segment of frequency spectrum see output of circuit 22, and converts the excised received frequency-domain signal to an excised, received time-domain signal see output of processor 24. Given that fact, it would have been obvious to one skill in the art to incorporate such a teaching in Franceschini and Awater in order to provide proper means (such as digital circuitry) to received and process the transmitted signal so as to recover the original signal.

As per claim 13, it is well know in the art to include a time of arrival processor in a receiver. Given that it would have been obvious to one skill in the art to include such a device in Franceschini and Awater in order to determine other signal parameter such as signal velocity so as to enhance signal transmission between the transmitter and receiver.

As per claim 14, it is well known in the art to incorporate an acquisition processor in a receiver for signal acquisition. Given that, it would have been obvious to one skill in the art to incorporate such a processor in Franceschini and Awater and Wade in order to enhance reconstruction of the original signal.

As per claim 15 Wade teaches the circuit perform interference excision see fig. 3. Given that fact, it would have been obvious to one skill in the art to configure Franceschini and Awater in such a way as to remove interference in order to enhance signal detection.

As per claim 27, see claim 12.

As per claim 28, see claim 13.

8. Claims 1-11, 16-26 and 29-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Laroia et al US Patent Application Publication No. No. US 2002/0172213 in view of Panasik US patent No. 6,668,008.

As per claim 1, Laroia et al discloses a method and apparatus figs. 1, 3B and 4B comprising a processor (14, 18 and 19) that generates a digital time-domain signal see fig. 1, lines 3-6 (note that the data processor generates digital data); circuit arrangement 20 and Fig. 4B considered as the claimed "non-contiguous spectrum selector" that converts the digital time-domain signal to a frequency-domain signal see circuit 52, zeroes (excises) a portion of the frequency-domain signal see Fig. 3B and paragraph 0053, and converts the zeroed (excised) frequency-domain signal to an excised time-domain signal see output of transformer "IDFT 52" of fig. 4B it further teaches a D/A 28

Art Unit: 2611

to convert digital signal into an analog form prior to transmission over the channel (antenna 34). However, Laroia does not explicitly teach that the frequency bands are non-contiguous and are separated by a segment of the frequency spectrum not use to transmit signal. Panasik teaches transmission in non-contiguous frequency separated by a segment of the frequency spectrum not use to transmit signal and excised at least a portion of the frequency spectrum in frequency domain see fig. 1. Given that fact, it would have been obvious to one skill in the art to incorporate such a teaching in Laroia in order to conserve power energy and to expand battery life since a clean signal would draw less power than a signal that includes interference.

As per claim 2, Laroia further teaches that circuit (the non-contiguous spectrum selector) fig. 4B comprises: a DFT 52 that converts the digital time-domain signal to the frequency-domain signal, wherein the frequency-domain signal comprises a plurality of frequency-domain samplés corresponding to respective frequency bins; a zero insertion circuit 56 (excision module) that selectively causes spectral nulling in the a plurality of frequency bins; and an IDFT circuit 58

As per claim 3, see claim 2.

As per claim 4, Laroia teaches a windowing device fig. 8B to shape the frequency response of the frequency bins.

As per claim 5, the digital time signal is inherently a baseband signal as the signal is generated at the baseband level (see fig. 1).

As per claim 10, Laroia that the transmitter fig.1 transmit data to a remote communication device.

Art Unit: 2611

As per claim 17, the system comprises a communication device that includes the processor, the non-contiguous spectrum selector and the digital-to-analog converter see fig. 1.

As per claim 18, the communication device is inherently a mobile communication device see fig. 1.

As per claim 19, Laroia teaches the system includes a plurality of communication devices communicating in a network see paragraphs 006 and 0040.

As per claim 20, see claim 1.

As per claim 21, see claim 2.

As per claim 22, see claim 5.

As per claim 25, see claim 10.

As per claim 29, as shown in fig. 3B, Laroia teaches that the excise portion of the frequency spectrum is independent of a signal level of the frequency domain or time domain signal.

As per claim 30 Laroia teaches that a bandwidth of the frequency domain signal generated by the selector (fig. 3B) inherently corresponds to an overall band that extends from a lowest frequency of a lowest frequency band to a highest frequency to the highest frequency band of the bands.

As per claim 31, see claim 29.

As per claim 32 see claim 30.

As per claim 6, as applied to claim 1 above, Laroia and Panasik teach every feature of the claimed invention but do not explicitly teach a digital mixer to convert the

Art Unit: 2611

digital signal into an intermediate signal prior to digital to analog conversion. However, it is well known in the art to include a digital mixer in transmit chain to upconvert a digital signal into an IF signal. Given that, it would have been obvious to one skill in the art to incorporate a digital mixer in Laroia and Panasik in order to convert the baseband signal into a format suitable for transmission.

As per claim 7, Laroia further teaches a filter 30 coupled to the D/A converter 28.

As per claim 8, Laroia and Panasik do not explicitly teach that the signal is spread spectrum signal. However, it would have been obvious to one skill in the art to format the signal as a spread spectrum signal in order prevent the signal from being intercepted by unauthorized user.

As per claim 9, note that it is inherent for spread spectrum signal to include plurality of samples chips.

As per claim 11, it is well known in the art to transmit a range waveform from a transmitter to a receiver to determine the range between the receiver and transmitter. Given that, it would have been obvious to one skill in the art to incorporate such a teaching in Laroia and Panasik in order determine other signal parameter such as transmission power so as to enhance signal transmission between the transmitter and receiver.

As per claim 16, Laroia teaches that the transmitter fig. 1 includes the spectrum selector and Laroia and Panasik however fail to teach that the circuit can include a receiver. However, it would have been obvious to one skill in the art to include a

Art Unit: 2611

transmitter in Laroia and Panasik in order to be above to process incoming signals from a remote transmitter.

As per claim 23, see claim 6.

As per claim 24, see claim 9.

As per claim 26, see claim 11.

9. Claims 12-15, 27 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Laroia et al US Patent Application Publication No. No. US 2002/0172213 in view of Panasik US patent No. 6,668,008 and further in view of Wade US patent No. 5,263,048.

As per claim 12, as applied to claim 1 above, Laroia and Panasik teach
Substantially every feature of the claimed invention and do not explicitly teach an
analog-to-digital converter that converts a received signal to a received digital timedomain signal; and a receiver spectrum selector that converts the received digital timedomain signal to a received frequency-domain signal, excises a portion of the received
frequency-domain signal corresponding to the at least one segment of frequency
spectrum, and converts the excised received frequency-domain signal to an excised,
received time-domain signal. Wade teaches a receiver fig. 3 comprising an analog-todigital converter 12 that converts a received signal to a received digital time-domain
signal; and circuit 10 (receiver spectrum selector) that converts the received digital
time-domain signal to a received frequency-domain signal see output of the processor
20, excises a portion of the received frequency-domain signal corresponding to the at
least one segment of frequency spectrum see output of circuit 22, and converts the

Art Unit: 2611

excised received frequency-domain signal to an excised, received time-domain signal

see output of processor 24. Given that fact, it would have been obvious to one skill in

the art to incorporate such a teaching in Laroia and Panasik in order to provide proper

means to received and process the transmitted signal so as to recover the original

signal.

As per claim 13, it is well know in the art to include a time of arrival processor in a

receiver. Given that it would have been obvious to one skill in the art to include such a

device in Laroia Panasik and Wade in order to determine other signal parameter such

as signal velocity so as to enhance signal transmission between the transmitter and

receiver.

As per claim 14, it is well known in the art to incorporate an acquisition processor

in a receiver for signal acquisition. Given that, it would have been obvious to one skill in

the art to incorporate such a processor in Laroia Panasik and Wade in order to enhance

reconstruction of the original signal.

As per claim 15 Wade teaches the circuit perform interference excision see fig. 3.

Given that fact, it would have been obvious to one skill in the art to configure Laroia and

Panasik in such a way as to remove interference in order to enhance signal detection.

As per claim 27, see claim 12.

As per claim 28, see claim 13.

Conclusion

Art Unit: 2611

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B. Corrielus whose telephone number is 571-272-3020.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jean B Corrielus
Primary Examiner

Art Unit 2611

5-15-07